

**Service Level Agreement
Basic Service: Therapeutic Link
Version 1.4**

This document is provided to you free of charge by the

eHealth platform

**Willebroekkaai 38 – 1000 Brussel
38, Quai de Willebroeck – 1000 Bruxelles**

All are free to circulate this document with reference to the URL source.

Service Level Agreement

Therapeutic Links

Between

Service provider

eHealth Platform
Quai de Willebroeck, 38
1000 BRUSSELS

Service customer

User Community

To the attention of: the user community

Author: Service Management
Date: 12/09/2025
Version: 1.4
Status: Final
Type: Public
Confidentiality: /
Language: English
Exhibit of: MSA

1. Table of content

1.	Table of content	3
2.	Document management	4
2.1.	Document history	4
2.2.	Document references	4
2.3.	Purpose of the document	4
2.4.	Features	4
2.5.	Validity of the agreement	5
2.6.	Service and maintenance window	6
2.6.1.	Service window	6
2.6.2.	Support Window	6
2.6.3.	Maintenance Windows & Planned Interventions	7
2.6.4.	Unplanned Interventions	7
3.	Service scope	8
3.1.	eHealth service	8
3.1.1.	General	8
3.1.2.	Abbreviations	8
3.2.	Business criticality	9
3.3.	Interdependencies	9
4.	List of service levels	10
5.	Detailed service level per service	11
5.1.	Availability Therapeutic Link Web Service SOAP	11
5.2.	Performance Therapeutic Link SOAP	12
5.3.	Availability Therapeutic Link Web Service REST	13
5.4.	Performance Therapeutic Link Web Service REST	14

2. Document management

2.1. Document history

Version	Date	Author	Description of changes / remarks
2016.01	July 2016	eHealth Service Management	First version
2020.1	18/12/2020	eHealth Service Management	Availability TherLink WS
2022.1	24/06/2022	eHealth Platform	Review of document
2024.1	01/10/2024	eHealth Service Management	Review KPI
1.4	12/09/2025	eHealth Service Management	Review Support Window

2.2. Document references

ID	Title	Version	Date	Author
	Master Service Agreement	2022.1	12/04/2022	
	Master Service Agreement	7.0	1/09/2025	

2.3. Purpose of the document

The objective of this document is to define the Service Level Agreement for the set of services included in the [Basic Service TherLink](#) proposed by the eHealth-platform. It defines the minimum level of service offered on the eHealth-platform, and provides eHealth's own understanding of service level offering, its measurement methods and its objectives in the long run.

The purpose of the portal eHealth is to offer a central entry point for dedicated information and access to healthcare related applications.

2.4. Features

The Therapeutic Links Basic Service of eHealth allows the handling of therapeutic links between a patient and professionals to authorise them to consult the patient's medical data.

This service is linked to the MetaHub Service (see corresponding SLA for more information).

If a patient consent is active at the MetaHub level, healthcare professionals can access the medical documents of a patient only when a therapeutic link that justifies this consultation exists.

Therapeutic Links Base Service is composed of two parts:

a) Therapeutic Link Web Service SOAP (WS)

Only authorised types of professionals (doctor, nurse, dentist, midwife, physiotherapist, audician, audiologist, lab technologist, dietician, logopedist, occupation therapist, orthoptist, podologist, practical nurse, imaging technologist, truss maker, clinical orthopedic pedagogue, clinical psychologist and dental hygienist, optometrist, OT mobility improvement, OT bandages orthosiology, OT prosthesiology, OT shoe technology) or professional organisations (pharmacy, authorized organization, hub) may access the Therapeutic Link WS SOAP.

The WS must propose operations making it possible to manage the therapeutic link. Here is the list of management operations :

- *GetTherapeuticLink* : Allows verifying the existence of a therapeutic link between a healthcare professional and a patient. This service relays all the requests to a CIN web service in possession of this information. The response of this service will then be relayed back.
- *PutTherapeuticLink* : Used to declare the therapeutic links. Its main purpose is to allow one to declare a therapeutic link. This is also a relay service with CIN web service. Some therapeutic links may be provisioned in the CIN DB by other means (e.g. GMD links which can't be declared/revoked within eHealth web services or web application). Call is made to CoBRHA for validation of the HC professional.
- *RevokeTherapeuticLink* : Used to revoke the therapeutic links. Its main purpose is to allow one to "end" the (declaration of a) therapeutic link.
- *HasTherapeuticLink* : Used to check the existence of a therapeutic link.

Note: the validity of the SSIN and support card numbers is checked through the ID Support web service which relays the request to a CBSS web service at the consultation, the declaration and the revocation of the therapeutic relations.

b) Therapeutic Link Web Service REST (WS)

Only patients (citizen, parent, mandatory) may access the Therapeutic Link WS REST through WA MyHealth and MyHealthViewer.

The WS must propose operations making it possible to manage the therapeutic link. Here is the list of management operations :

- *GET /therapeuticLinks* : Allows verifying the existence of a therapeutic link between a healthcare professional and a patient. This service relays all the requests to a CIN web service in possession of this information. The response of this service will then be relayed back.
- *POST /therapeuticLinks* : Used to declare the therapeutic links. Its main purpose is to allow one to declare a therapeutic link. This is also a relay service with CIN web service. Some therapeutic links may be provisioned in the CIN DB by other means (e.g. GMD links which can't be declared/revoked within eHealth web services or web application). Call is made to CoBRHA for validation of the HC professional.
- *DELETE /therapeuticLinks* : Used to revoke the therapeutic links. Its main purpose is to allow one to "end" the (declaration of a) therapeutic link.
- *GET /health* : Allows an end-user to check the monitoring status of the service therapeutic link.

2.5. Validity of the agreement

This document is valid as long as the *Basic Service TherLink* is part of the eHealth-platform offering services. Once a year, the levels of service proposed will be reviewed and confirmed for the next year.

2.6. Service and maintenance window

2.6.1. Service window

The time frame during which the eHealth services are offered to the client applications, is defined in terms of days and hours. Standard working days are all days of the year, except during the biannual maintenance periods.

The following table summarises the eHealth service window.

Service Window								
		Day of the week (closing days of Service Provider = Sunday)						
		Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
Day period	00:00 – 07:00							
	07:00 – 08:00							
	08:00 – 16:30							
	16:30 – 19:00							
	19:00 – 20:00							
	20:00 – 24:00							

Legend	
	Timeslots where the service must be available according to the SLA and where corrective actions will be taken to resolve detected Incidents.
	Timeslots where the service will be available provided there are no blocking Incidents. If these incidents do appear, no corrective action will be taken.
	Timeslots where unavailability can occur.

2.6.2. Support Window

Support Window								
		Day of the week (Closing days of Service Provider = Sunday)						
		Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
Day period	00:00 – 08:00							
	08:00 – 16:30							
	16:30 – 18:00							
	18:00 – 24:00							

Legend	
	Timeslots for which the eHealth Call Center is available for the End-Users with a second line support for Infrastructure (HW, OS, Middleware and DB)
	Timeslots for which the eHealth Call Center is available for the End-Users with a second line support, including Application Support
	Timeslots for which the eHealth Call Center is unavailable for the End-Users. The End-User will have the possibility to record a voice message that will be treated on the next Workday.

2.6.3. Maintenance Windows & Planned Interventions

The eHealth platform will strive for limiting as much as possible the impact and duration of the planned interventions. Today, the eHealth platform is committed to make efforts so planned unavailability's do not exceed one to a few hours per year.


2.6.4. Unplanned Interventions

Under exceptional circumstances, unplanned interventions may be needed in order to restore the service.

3. Service scope

3.1. eHealth service

3.1.1. General



The main components included in this SLA are:

- eHealth Therapeutic Link WS SOAP (used by HC professionals and other authorized organizations on behalf of the patient, after access rights checks):
 - Therapeutic Link management (Get/Put/Revoke/Has)
- eHealth Therapeutic Link WS REST (used by patients):
 - Therapeutic Link management (POST/GET/DELETE)

3.1.2. Abbreviations

AA	Attribute Authority
CBSS	Crossroads Bank for Social Security
CIN (NIC)	Collège Intermutualiste National

CoBRHA	Common Basic Registry for Healthcare Actors
GMD	Global Medical Dossier
HC	Health Care
NIHII	National Institute for Health and Invalidity Insurance (INAMI/RIZIV)
SSIN	Social Security Identification Number
STS	Secure Token Service
UAM	User and Access Management

3.2. Business criticality

The business criticality of the service is **Platinum** as it supports mandatory business processes that should be processed synchronously and within some legal periods.

3.3. Interdependencies

The Therapeutic Link Basic Service depends on the MSA and on the collaboration with the CIN.

4. List of service levels

Service	KPI	SL ID	Condition	Measure based on	Limit	Service Window	Objective Committed	Objective Target
Therapeutic Links (SOAP)	Availability Therapeutic Link ws (SOAP)		Transaction passes	Fictitious request		Mo – Su 0:00 – 24:00	N/A	99,5%
	Performance - GetTherapeuticLink		Response time < 4 sec	Real transactions		Mo – Su 0:00 – 24:00	N/A	98,0%
	Performance - PutTherapeuticLink		Response time < 4 sec	Real transactions		Mo – Su 0:00 – 24:00	N/A	98,0%
	Performance - RevokeTherapeuticLink		Response time < 4 sec	Real transactions		Mo – Su 0:00 – 24:00	N/A	98,0%
	Performance - HasTherapeuticLink		Response time < 4 sec	Real transactions		Mo – Su 0:00 – 24:00	N/A	98,0%
	Availability Therapeutic Link ws (REST)		Transaction passes	Fictitious request		Mo – Su 0:00 – 24:00	N/A	99,5%
Therapeutic Links (REST)	Performance - Get/TherapeuticLinks		Response time < 4 sec	Real transactions		Mo – Su 0:00 – 24:00	N/A	98,0%
	Performance – Post/TherapeuticLinks		Response time < 4 sec	Real transactions		Mo – Su 0:00 – 24:00	N/A	98,0%
	Performance – Delete/TherapeuticLinks		Response time < 4 sec	Real transactions		Mo – Su 0:00 – 24:00	N/A	98,0%

Table 1: List of key performance indicators (KPI) per service

5. Detailed service level per service

5.1. Availability Therapeutic Link Web Service SOAP

Objectives				
Definition	- The eHealth WS TherLink SOAP is considered to be available when it is reachable via the BUS, when the DBs are up and running and when the WS TherLink and the DB of the CIN are up and running (get request and evaluation of the response -keep Alive Test). - Planned interventions executed within the Maintenance Window are not recorded as unavailable time.			
Measuring method	- The availability of the different functionalities is measured by executing the test scripts every 5 minutes. When the script is executed with as result a Status "OK", the test "passed". - When the script is executed with an other result, the test "failed" - Measuring is always done on test scenarios.			
Calculation	$Availability = \frac{\sum Passed\ Tests \times 100}{\sum Total\ Tests} \%$ - Total Tests = Total number of tests launched within corrected timeframe - Passed Tests = Total number of tests that resulted in a status "OK" within the same timeframe - Corrections are applicable on tests that are not taken into account because they were caused: - by a Validated Authentic Source or partner application out of scope of this SLA - by a failing monitoring tool			
Reporting and evaluation period	- The availability is calculated and reported monthly. Corrective interventions are initiated when appropriate. - The formal evaluation however is done on a yearly basis.			
Service Level Objectives	Functionality	Service Window	Service Level Objective	
			Committed	Target
	Availability TherLink WS SOAP	Mo – Su 0:00 – 24:00	N/A	99,5%

5.2. Performance Therapeutic Link SOAP

Objectives				
Definition	- The performance of the eHealth TherLink WS SOAP refers to its response time meaning the time needed to execute a request. This request can be: - Get Therapeutic links (depends on CIN) - Declare (Put) and Revoke Therapeutic links (depends on SAMM/CoBRHA and CIN) - Attention: The response time does not include: - The time needed to deliver the information over the Internet - The time needed to process the information at the End Users premises.			
Measuring method	- This response time is measured on the Reverse Proxies. Both start time (request received) and stop time (answer sent to the End User) are measured and stored in a database. - Measuring is done on real transactions, and only on those having a "stop time" within the measuring period.			
Calculation	- All response times are calculated: Stop time – Start time for every request. - The percentage that meets the target is calculated based on following formula: $Performance = \frac{\sum Tests\ meeting\ the\ target \times 100}{\sum Total\ Tests} \%$			
Reporting and evaluation period	- The performance is calculated and reported monthly. Corrective interventions are initiated when appropriate. - The formal evaluation however is done on a yearly basis.			
Service Level Objectives	Functionality	Target	Service Level Objective	
			Committed	Target
	Performance TherLink WS • GetTherapeuticLink	< 4 sec	N/A	98,0%
	Performance TherLink WS • PutTherapeuticLink	< 4 sec	N/A	98,0%
	Performance TherLink WS • RevokeTherapeuticLink	< 4 sec	N/A	98,0%
	Performance TherLink WS • HasTherapeuticLink	< 4 sec	N/A	98,0%

5.3. Availability Therapeutic Link Web Service REST

Objectives				
Definition	- The eHealth WebService Therapeutic Link REST is considered to be available when it is reachable via the API GW, when the DBs are up and running and when the WS TherLink and the DB of the CIN are up and running (get request and evaluation of the response - keep Alive Test) - Planned interventions executed within the Maintenance Window are not recorded as unavailable time.			
Measuring method	- The availability of the different functionalities is measured by executing the test scripts every 5 minutes. When the script is executed with as result a Status "OK", the test "passed". - When the script is executed with an other result, the test "failed" - Measuring is always done on test scenarios			
Calculation	$Availability = \frac{\sum Passed\ Tests \times 100}{\sum Total\ Tests} \%$ - Total Tests = Total number of tests launched within corrected timeframe - Passed Tests = Total number of tests that resulted in a status "OK" within the same timeframe - Corrections are applicable on tests that are not taken into account because they were caused: - by a Validated Authentic Source or partner application out of scope of this SLA - by a failing monitoring tool			
Reporting and evaluation period	- The availability is calculated and reported monthly. Corrective interventions are initiated when appropriate. - The formal evaluation however is done on a yearly basis.			
Service Level Objectives	Functionality	Service Window	Service Level Objective	
			Committed	Target
	Availability Therapeutic Links WS (REST)	Mo – Su 0:00 – 24:00	N/A	99,5%

5.4. Performance Therapeutic Link Web Service REST

Objectives				
Definition	- The performance of the eHealth Therapeutic Link webservice REST refers to its response time. Response time meaning the time needed to execute a request. This request can be: - Get Therapeutic links (depends on CIN) - Post and Delete Therapeutic links (depends on SAMM/CoBRHA and CIN) - Attention: The response time does not include: - The time needed to deliver the information over the Internet - The time needed to process the information at the End Users premises.			
Measuring method	- This response time is measured on the Reverse Proxies. Both start time (request received) and stop time (answer sent to the End User) are measured and stored in a database. - Measuring is done on real transactions, and only on those having a "stop time" within the measuring period.			
Calculation	- All response times are calculated: Stop time – Start time for every request. - The percentage that meets the target is calculated based on following formula: $Performance = \frac{\sum Tests\ meeting\ the\ target \times 100}{\sum Total\ Tests} \%$			
Reporting and evaluation period	- The performance is calculated and reported monthly. Corrective interventions are initiated when appropriate. - The formal evaluation however is done on a yearly basis.			
Service Level Objectives	Functionality	Target	Service Level Objective	
			Committed	Target
	Performance Therapeutic Link ws (REST) - Get/TherapeuticLink	< 4 sec	N/A	98,0%
	Performance Therapeutic Link ws (REST) - Post/TherapeuticLink	< 4 sec	N/A	98,0%
	Performance Therapeutic Link ws (REST) - Delete/TherapeuticLink	< 4 sec	N/A	98,0%